



**A  
BIG  
BRICK  
BASKET**

# Clay Bricks

Brick is a building material used to make walls, pavements and other elements in masonry construction. And are formed in one of the three processes – Soft mud, Dry press (Dust Press) and Extruded. Types of bricks which are manufactured by us are,

## Clay Bricks

### Table Mould



9" x 4" x 3"  
Weight: 3.1  
Qty Required per SQFT: 5.5 N

### Wire Cut



9" x 4" x 3" / 9" x 6" x 3"  
Weight: 3.3 / 4.7  
Qty Required per SQFT: 5.5 N

## Clay Exposed Extruded Engineering Bricks

Clay Exposed Extruded Engineering Bricks are a type of clay bricks which are used where strength, low water porosity or acid/flue gas resistance are needed. No plastering is required. Our varieties of clay products such as,

- A. Exposed Solid Wire cut Bricks
- B. Exposed Perforated Clay Bricks
- C. Exposed Clay Jaali
- D. Exposed Split Clay Bricks
- E. Exposed Clay Pavers
- F. Exposed Clay Tiles
- G. Exposed Clay Blocks


## A. Exposed Solid Wire cut Bricks

### Exposed Solid Clay Bricks




Size - 9" x 4" x 3"  
Weight: 3.4 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red /  
Copper Red

### Exposed Double Solid Clay Bricks



Size - 9" x 6" x 3"  
Weight: 4.8 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red /  
Copper Red

### Exposed RAT Trap Brick




Size - 9" x 4" x 3"  
Weight: 3.4 KG  
Qty Required per SQFT: 4.5 Nos  
Appearance - Orange Red /  
Copper Red

### Exposed Double RAT Trap Brick




Size - 9" x 6" x 3"  
Weight: 4.8 KG  
Qty Required per SQFT: 3 Nos  
Appearance - Orange Red /  
Copper Red

### Exposed RAT Trap Brick



Size - 9" x 3" x 2"  
Weight: 2.1 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red /  
Copper Red

### Exposed Wire cut Facing Brick



Size - 9" x 4" x 2"  
Weight: 2 KG  
Qty Required per SQFT: 8 Nos  
Appearance - Orange Red /  
Copper Red





### Exposed Wire cut Facing Brick

### Exposed Wire cut Facing Brick

 <p>Size - 9" x 4" x 1.25"  Weight: 1 KG  Qty Required per SQFT: 16 Nos  Appearance - Orange Red /  Copper Red</p>	<p>Size - 9" x 2" x 1.25"  Weight: 0.6 KG  Qty Required per SQFT: 16 Nos  Appearance - Orange Red /  Copper Red</p> 
--	---

### Exposed Wire cut Facing Brick

### Exposed Wire cut Facing Brick

 <p>Size - 9" x 3" x 2"  Weight: 2 KG  Qty Required per SQFT: 8 Nos  Appearance - Orange Red /  Copper Red</p>	<p>Size - 9" x 3" x 1.25"  Weight: 1 KG  Qty Required per SQFT: 12.8 Nos  Appearance - Orange Red /  Copper Red</p> 
--	---

### Exposed Wire cut Facing Brick

### Exposed Solid Clay Bricks – Dust Pressed

 <p>Size - 9" x 1.25" x 1.25"  Weight: 0.8 KG  Qty Required per SQFT: 16 Nos  Appearance - Orange Red /  Copper Red</p>	<p>Size - 9" x 4.5" x 3"  Weight: 3.5 KG  Qty Required per SQFT: 5.5 Nos  Appearance - Copper Red</p> 
--	--

### Exposed Wire cut Facing Brick – Dust Pressed

### Exposed Wire cut Facing Brick – Dust Pressed

 <p>Size - 9" x 4.5" x 2"  Weight: 2.2 KG  Qty Required per SQFT: 8 Nos  Appearance - Orange Red /  Copper Red</p>	<p>Size - 9" x 4.5" x 1"  Weight: 1.1 KG  Qty Required per SQFT: 16 Nos  Appearance - Orange Red /  Copper Red</p> 
--	--

### Exposed Solid Wire cut Facing Brick

### Exposed Solid Wire cut Facing Brick

 <p>Size - 12" x 4" x 2"  Weight: 2.4 KG  Qty Required per SQFT: 3 Nos  Appearance - Orange Red /  Copper Red</p>	<p>Size - 12" x 4" x 3"  Weight: 3.8 KG  Qty Required per SQFT: 4 Nos  Appearance - Orange Red /  Copper Red</p> 
---	--

## B. Exposed Perforated Extruded Clay Bricks

### Perforated One Hole Facing Brick – Cladding Brick

### Perforated Two Hole Facing Brick – Cladding Brick

 <p>Size - 12" x 2" x 2"  Weight: 1.2 KG  Qty Required per SQFT: 6 Nos  Appearance - Orange Red / Copper Red  Applications - Internal /  Extremal Wall Cladding</p>	<p>Size - 12" x 4" x 2"  Weight: 2.4 KG  Qty Required per SQFT: 3 Nos  Appearance - Orange Red /Copper Red  Applications - Internal /  Extremal Wall Cladding</p> 
---	---

### Perforated Two Hole Facing Brick – Cladding Brick

### Perforated Two Hole Facing Brick – Cladding Brick



Size - 12" x 4" x 2"  
Weight: 2.5 KG  
Qty Required per SQFT: 3 Nos  
Appearance - Orange Red / Copper Red  
Applications - Internal / External Wall Cladding



Size - 12" x 6" x 2"  
Weight: 3.8 KG  
Qty Required per SQFT: 2 Nos  
Appearance - Orange Red / Copper Red  
Applications - Internal / External Wall Cladding

### Exposed Perforated Two Square Hole Clay Brick

### Exposed Perforated Two Round Hole Clay Brick



Size - 9" x 4" x 3"  
Weight: 2 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red / Copper Red  
Applications - Any Walls



Size - 9" x 4" x 3"  
Weight: 2.5 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red / Copper Red  
Applications - Any Walls

### Exposed Perforated Three Round Hole Clay Brick

### Exposed Perforated Three Square Hole Clay Brick




Size - 9" x 4" x 3"  
Weight: 2.9 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red / Copper Red  
Applications - Any Walls




Size - 12" x 4" x 2"  
Weight: 2 KG  
Qty Required per SQFT: 6 Nos  
Appearance - Orange Red / Copper Red  
Applications - Any Walls

### Four Hole Rectangular Perforated Brick

### Exposed Perforated Five Rectangular Hole Clay Brick




Size - 9" x 4" x 3"  
Weight: 2.2 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red / Copper Red  
Applications - Any Walls




Size - 9" x 4" x 3"  
Weight: 2.2 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red / Copper Red  
Applications - Any Walls

### Exposed Perforated Six Rectangular Hole Clay Brick

### Exposed Perforated Seven Rectangular Hole Clay Brick




Size - 9" x 4" x 3"  
Weight: 2.5 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red / Copper Red  
Applications - Any Walls




Size - 12" x 4" x 2"  
Weight: 2.2 KG  
Qty Required per SQFT: 6 Nos  
Appearance - Orange Red / Copper Red

### Exposed Perforated Eight Round Hole Clay Brick

### Exposed Perforated Twelve Hole Clay Brick



Size - 9" x 4" x 3"  
Weight: 2.8 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red / Copper Red  
Applications - Any Walls  
Holes Sizes - 12mm to 35mm



Size - 9" x 4" x 3"  
Weight: 2.4 KG  
Qty Required per SQFT: 5.5 Nos  
Appearance - Orange Red / Copper Red  
Applications - Any Walls  
Holes Sizes - 12mm

## C. Exposed Clay Jaalis

### Holes Jaali - with Five Holes



Size - 8" x 8" x 3"  
 Weight: 2.4 KG  
 Qty Required per SQFT: 2.25 Nos  
 Appearance - Orange Red/Copper Red

### Square Jaali




Size - 8" x 8" x 3"  
 Weight: 2.7 KG  
 Qty Required per SQFT: 2.25 Nos  
 Appearance - Orange Red /Copper Red

### Star Jaali



Size - 8" x 8" x 3"  
 Weight: 2.7 KG  
 Qty Required per SQFT: 2.25 Nos  
 Appearance - Orange Red /Copper Red

### Circle Jaali



Size - 8" x 8" x 3"  
 Weight: 2.4 KG  
 Qty Required per SQFT: 2.25 Nos  
 Appearance - Orange Red /Copper Red

### Rectangular Jaali



Size - 10" x 7" x 3"  
 Weight: 2.4 KG  
 Qty Required per SQFT: 2.25 Nos  
 Appearance - Orange Red /Copper Red

### Diamond Jaali



Size - 10" x 7" x 3"  
 Weight: 2.5 KG  
 Qty Required per SQFT: 2.55 Nos  
 Appearance - Orange Red /Copper Red


## D. Exposed Split Clay Bricks

### Exposed Split Clay Bricks



Size - 9" x 4" x 2"  
 Weight: 3 KG  
 Qty Required per SQFT: 2.75 Nos  
 Appearance - Orange Red/Copper Red

### Exposed Split Clay Bricks



Size - 12" x 4" x 2"  
 Weight: 2.6 KG  
 Qty Required per SQFT: 3 Nos  
 Appearance - Orange Red/Copper Red

## E. Exposed Clay Pavers

### Clay Grass Paver




Size - 9" x 4" x 3"  
 Weight: 2.5 KG  
 Qty Required per SQFT: 4 Nos  
 Appearance - Orange Red / Copper Red

### Clay Brick Paver & Pressed



Size - 9" x 4" x 3"  
 Weight: 3.3 KG  
 Qty Required per SQFT: 3 Nos  
 Appearance - Orange Red / Copper Red


### Clay I Paver



Size - 8" x 6" x 3"  
 Weight: 3.5 KG  
 Qty Required per SQFT: 4 Nos  
 Appearance - Orange Red / Copper Red


## F. Exposed Clay Tiles

### Cladding Clay Tile – Dust Pressed



Size - 9" x 3" x 32mm  
 Weight: 1KG  
 Qty Required per SQFT: 5.5 Nos  
 Appearance - Orange Red/Copper Red

### Cladding Clay Tile – Dust Pressed




Size - 9" x 3" x 20mm  
 Weight: 800GMS  
 Qty Required per SQFT: 5.5 Nos  
 Appearance - Orange Red/Copper Red

### Cladding Clay Tile – Dust Pressed




Size - 9" x 3" x 12mm  
 Weight: 600GMS  
 Qty Required per SQFT: 5.5 Nos  
 Appearance - Orange Red/Copper Red

### Cladding Clay Tile – Dust Pressed




Size - 12" x 3" x 12mm  
 Weight: 800GMS  
 Qty Required per SQFT: 4 Nos  
 Appearance - Orange Red/Copper Red

### Cladding Clay Tile – Matt Finish



Size - 9" x 3" x 20mm  
 Weight: 1KG  
 Qty Required per SQFT: 5.5 Nos  
 Appearance - Orange Red/Copper Red

### Cladding Clay Tile – Matt Finish



Size - 12" x 2.5" x 20mm  
 Weight: 1 KG  
 Qty Required per SQFT: 5 Nos  
 Appearance - Orange Red/Copper Red

### Cladding Clay Tile – Matt Finish



Size - 9" x 2.5" x 20mm  
 Weight: 800GMS  
 Qty Required per SQFT: 5.5 Nos  
 Appearance - Orange Red/Copper Red

### Roofing Clay Tiles – Dust Pressed – Mangalore Tile



Size - 12" x 8"  
 Weight: 1.9 KG  
 Qty Required per SQFT: 1.5 Nos  
 Appearance - Orange Red/Copper Red

### Ceiling Clay Tiles



Size - 12" x 8"  
 Weight: 1.9 KG  
 Qty Required per SQFT: 1.5 Nos  
 Appearance - Orange Red/Copper Red

### Ceiling Clay Tiles




Size - 9" x 6"  
 Weight: 1.1 KG  
 Qty Required per SQFT: 2 Nos  
 Appearance - Orange Red/Copper Red

### Bamboo Clay Tiles – Spanish Tiles




Size - 9" x 6"  
 Weight: 1 KG  
 Qty Required per SQFT: 2 Nos  
 Appearance - Orange Red/Copper Red

### Flooring Clay Tiles – Dust Pressed - Flat Tile



Size - 6" x 6" x 16mm  
 B. Weight: 1.1 KG  
 Qty Required per SQFT: 4 Nos  
 Appearance - Orange Red/Copper Red  
 Application: Terrance Open Place on top

### Flat Tile



Size - 9" x 9" x 16mm / 18 mm  
 Weight: 1.4 KG / 1.6 KG  
 Qty Required per SQFT: 2 Nos  
 Appearance - Orange Red/Copper Red  
 Application: Terrance Open Place on top

### Flat Tile



Size - 12" x 12" x 16mm /18mm  
 Weight: 1.9 KG / 2.1 KG  
 Qty Required per SQFT: 2 Nos  
 Appearance - Orange Red/Copper Red  
 Application: Terrance Open Place on top

### Parking Clay Tile



Size - 9" x 9" x 16mm  
 Weight: 1.6 KG  
 Qty Required per SQFT: 2 Nos  
 Appearance - Orange Red/Copper Red  
 Application: Parking Tile

### Parking Clay Tile



Size - 8" x 8" x 16mm  
 Weight: 1.6 KG  
 Qty Required per SQFT: 2 Nos  
 Appearance - Orange Red/Copper Red  
 Application: Parking Tile

### Weathering Clay Facing Tile




Size - 12" x 6" x 2"  
 Weight: 3 KG  
 Qty Required per SQFT: 2 Nos  
 Appearance - Orange Red / Copper Red

### Weathering Clay Facing Tile



Size - 12" x 4" x 2"  
 Weight: 2 KG  
 Qty Required per SQFT: 4 Nos  
 Appearance - Orange Red / Copper Red

### Weathering Clay Facing Tile



Size - 10" x 5" x 2"  
 Weight: 2 KG  
 Qty Required per SQFT: 3 Nos  
 Appearance - Orange Red and CopperRed

## G. Exposed Clay Blocks

### Clay Blocks Extruded



Size - 12" x 6" x 4"  
 Weight: 5.7 KG  
 Qty Required per SQFT: 2 Nos  
 Appearance - Copper Red

### Clay Blocks Extruded



Size - 9" x 4" x 3"  
 Weight: 2.5 KG  
 Qty Required per SQFT: 5.5 Nos  
 Appearance - Copper Red

## Blocks


Block is one of several precast products used in construction. These are standard in size, rectangular in shape. The types of blocks available with us which are used in masonry are as under,

- Autoclave Aerated Concrete Blocks (AAC)
- Porotherm Blocks
- Laterite Blocks




## AAC

AUTOCLAVED AERATED CONCRETE (AAC) BLOCK is a light weight and certified green building material, which can be used for the purpose of Commercial, Industrial and Residential construction. AAC has excellent thermal insulation and acoustic absorption properties. It is fire and pest resistant, economically and environmentally superior to the more traditional structural building materials such as Concrete, Wood, Brick and Stone. Our AAC Blocks are manufactured as per IS 2185 (Part-3) 1984 using the finest graded Fly Ash - Grade 1 and marketed under the brand name of CONECC.



## POROTHERM CLAY BLOCKS

We are the channel partners for Wienerberger Porotherm Clay Blocks. Porotherm Clay Blocks are new age advanced clay blocks used for construction (Horizontally Perforated Clay Blocks for non-load bearing and Vertically Perforated Clay Blocks for load bearing construction) Porotherm is manufactured by Wienerberger India in Karnataka, the factory at Kunigal 194-year-old Austria based company with 226 plants worldwide.



## Advantages

- Light Weight and Faster Construction
- Comfortable and Healthy Living
- Natural and Green
- Unlimited Life and Maximum Fire Protection
- Excellent Thermal and Sound Insulation
- Savings on Structural Cost
- High Compressive strength and Lasts for generations


## Applications

- Used as infill masonry for load & non-load bearing construction. Especially beneficial for high rise apartment buildings, Independent Houses, Villas, Hospitals, Educational Institutions, Commercial Buildings and Warehouses.
- These are unique walling material which keeps the interior cool in summer, warm in winter and are the best available energy efficient blocks today.

## Laterites

Processing and supplying these natural laterites from western Ghats using latest technology to bring the natural beauty of construction which gives aesthetic look-beauty and comfort. res of the traditional feel.

Laterites are available in 12" x 9" x 6" / 9" x 6" x 6'. Any customized also processed but subject-ed feasible quantity and possibilities.



## About Us

Durgamba Build Solutions Co., is an ISO 9001-2015 certified company, manufacturing varieties of Clay & Fly Ash Products operating across Karnataka having its Head Office at Shivamogga and the Branch at Bengaluru.

We are the manufacturers of entire range of clay products viz., Table and Wirecut Clay bricks, Exposed Bricks, Perforated Bricks, Split Bricks, Clay Jaallies, Cladding & Facing Clay products, Clay Tiles, Clay Blocks and processing natural laterites having quarry at Western Ghats, supplying across Karnataka. We are also manufacturing metal products viz., Cable Trays, all types of Channels, Brackets, Bolts etc. Apart from the above, we are the marketers of finest quality of Ecofriendly AAC Blocks as per IS 2185 (P-3) 1984 under the brand name CONECC. We are also authorized distributor for M/s Bostik India Ltd and M/s Wienerberger India Ltd.

## HIGHLIGHTS OF THE COMPANY

- One Stop Solution with High Quality Products
- Associated with Reputed Multi-National Companies
- Emerging from the Modern Competitive World
- Timely Delivery of Consignments
- Selling at Competitive Prices

## Our Mission

To deliver premium quality products for construction through high quality manufacturing processes, stringent quality control and thereby assisting the industry to face its challenges. Also focusing on sustainable development and the welfare of everyone associated with the organization.

## Our Vision

To use the best available technology across the globe to provide effective solutions, employing innovative ideas for manufacturing and supplying quality products that have a longer lifespan at affordable prices to our valued customers.

